Revision: N°2 (27/10/2008) Name: NETTOYANT ECRAN 502 Company: ORAPI

Date: 27/10/2008 Page 1/4

SAFETY DATA SHEET

1 - IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Identification of the substance or preparation:

Name: NETTOYANT ECRAN.

Product code: 502.

Company/undertaking identification:

Registered company name: ORAPI.

Address: PARC INDUSTRIEL DE LA PLAINE DE L'AIN - 5 ALLEE DES CEDRES.01150.SAINT-VULBAS.FRANCE.

Telephone: 33-(0)4-74-40-20-00. Fax:33-(0)4-74-40-20-01. Telex:.

melanie.veron@orapi.com

Emergency telephone: 33-(0)1-45-42-59-59.

Association/Organisation: INRS .

2 - HAZARDS IDENTIFICATION

This product is classed: Flammable.

This preparation is not classed as hazardous to health by directive 1999/45/EC.

3 - COMPOSITION/INFORMATION ON INGREDIENTS

Full text of risk phrases appearing in section 3: see section 16.

Hazardous substances present on their own:

(present in the preparation at a sufficient concentration to give it the toxicological characteristics it would have in a 100% pure state)

This preparation contains no hazardous substance in this category.

Other substances representing a hazard:

No known substance in this category present.

Substances present at a concentration below the minimum danger threshold:

INDEX	CAS	EC	Name	Symb.	R:	%
603-117-00-0	67-63-0	200-661-7	PROPAN-2-OL	Xi F	11 36 67	10 <= x % < 25
			** *.			

Other substances with occupational exposure limits:

INDEX	CAS	EC	Name	Symb.	R:	%
	34590-94-8	252-104-2	DIPROPYLENE GLYCOL METHYL			1 <= x % < 2.5
			ETHER			

4 - FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing in an unconscious person.

In the event of splashes or contact with eyes:

Wash thoroughly with soft, clean water for 15 minutes holding the eyelids open.

Refer the patient to an ophthalmologist, in particular if there is any redness, pain or visual impairment.

In the event of splashes or contact with skin:

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

DO NOT use solvents or thinners.

In the event of swallowing:

If swallowed accidentally, call a doctor to assess the need for monitoring and subsequent treatment in hospital. Show him the label.

Do not induce vomiting. Call a doctor.

5 - FIRE-FIGHTING MEASURES

Chemical powders, carbon dioxide and other extinguishing gas are suitable for small fires.

Suitable extinguishing media:

Special foams for polar liquids (known as alcohol resistant), powders, carbon dioxide.

Extinguishing media which must not be used for safety reasons:

Sometimes, and due to the presence of organic material, a fire may produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Revision: N°2 (27/10/2008) Name: NETTOYANT ECRAN Company: ORAPI

Date: 27/10/2008 Page 2/4

Do not breathe in smoke.

Prevent the effluent of fire-fighting measures from entering drains or waterways.

Special protective equipment for fire-fighters:

Fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

6 - ACCIDENTAL RELEASE MEASURES

Personal precautions:

Avoid inhaling the vapors.

Consult the safety measures listed under headings 7 and 8.

Environmental precautions:

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

Use drums to dispose of waste recovered in accordance with applicable regulations (see heading 13).

If the product contaminates waterways, rivers or drains, alert the relevant authorities in accordance with statutory procedures

7 - HANDLING AND STORAGE

The regulations relating to storage premises apply to workshops where the product is handled.

Handling:

Prevent the formation of flammable or explosive concentrations in air and avoid vapor concentrations higher than the occupational exposure limits.

Fire prevention:

Use the product in premises where there are no naked flames or other sources of ignition and have protected electrical equipment

Keep packages tightly closed and away from sources of heat, sparks and naked flames.

Do not use tools which may produce sparks. Do not smoke.

Prevent access by unauthorised personnel.

Recommended equipment and procedures:

For personal safety, see §8.

Observe precautions stated on label and also industrial safety regulations

Avoid inhaling vapors.

Prohibited equipment and procedures:

Smoking, eating and drinking are prohibited in premises where the preparation is used

Never open the packages under pressure

Storage:

Keep the container tightly closed in a dry place.

Keep away from all sources of ignition - do not smoke.

Keep well away from all sources of ignition, heat and direct sunlight

Use before the expiration date

Keep only in the original container

Keep the container away from heat, bad weather, dampness and freezing.

8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

Use personal protection equipment as per Directive 89/686/EEC.

Exposure limit values per INRS ED 984:

France	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP N°:
67-63-0	-	-	400	980	-	84
34590-94-8	50	308	-	-	*	84

Exposure limit values per 2006/15/CE, 2000/39/EC and 98/24/EC:

EC	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:
34590-94-8	50	308	-	-	Peau

Exposure limit values (2003-2006):

I					
Germany/AGW	AGW:	AGW:	Faktor:	Bemerkunger	ı:
67-63-0	200 ml/m3	500 mg/m3	2(II)	DFG, Y	
34590-94-8	50 ml/m3	310 mg/m3	1(I)	DFG, EU	
UK/WELs	TWA:	STEL:	Ceiling:	Definition:	Criterion:

Revision: N°2 (27/10/2008) Name: NETTOYANT ECRAN Company: ORAPI

Date: 27/10/2008 Page 3/4

67-63-0	400 ppm	500 ppm	-	-	-
34590-94-8	50 ppm	-	-	-	-
UK/OES	TWA:	STEL:	Ceiling:	Definition:	Criterion:
67-63-0	400 ppm	500 ppm	-	-	-
34590-94-8	50 ppm	-	-	-	-
ACGIH/TLV	TWA:	STEL:	Ceiling:	Definition:	Criterion:
67-63-0	200 ppm	400 ppm	-	-	-
34590-94-8	100 ppm	150 ppm	-	-	-

Eye and face protection:

Eyes protection recommended in case of projections.

Skin protection:

For further information, see § 11 of S.D.S. - Toxicological information.

9 - PHYSICAL AND CHEMICAL PROPERTIES

General information:

Physical state: fluid liquid

Important health, safety and environmental information:

pH of the substance or preparation: neutral. When a pH measure is possible, it has a value of: not stated. Boiling point/boiling range: 100 °C.

Flash point interval: 23° C. < Flash point: <= 55° C. Below 110 kPa (1.10 bar). Vapour pressure:

Density: < 1

0.985 à 20°C Density: Water solubility: Soluble.

Other information:

melting point/melting range: not specified. Self-ignition temperature: not specified. Decomposition point/decomposition range: not specified.

Colour: colourless

10 - STABILITY AND REACTIVITY

The preparation is stable at the handling and storage conditions recommended per § 7 of the safety data sheet,

Materials to avoid:

Powerful acids, bases and oxidising agents

Hazardous decomposition products:

Carbon oxydes (CO,CO2)

11 - TOXICOLOGICAL INFORMATION

No data is available regarding the preparation itself.

Splashes in the eyes may cause irritation and reversible damage

Other data:

CAS 67-63-0: IARC Groupe 3 (The agent is not classifiable as to its carcinogenicity to humans).

12 - ECOLOGICAL INFORMATION

No ecological data on the product itself is available.

The product must not be allowed to run into drains or waterways.

Mobility:

Soluble in water

13 - DISPOSAL CONSIDERATIONS

Do not pour into drains or waterways.

Waste:

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Revision: N°2 (27/10/2008) Name: NETTOYANT ECRAN Company: ORAPI

Date: 27/10/2008 Page 4/4

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

14 - TRANSPORT INFORMATION

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2007 - IMDG 2006 - ICAO/IATA 2007).

UN1993=FLAMMABLE LIQUID, N.O.S.

(propan-2-ol)

ADR/RID Class Code Pack gr. Label Ident. LQ Provis. 3 F1 Ш 3 30 LO7 274 330 601 640E



IMDG	Class	2°Label	Pack gr.	LQ	EMS	Provis.		
	3	-	III	5 L	F-E,S-E	223 274 330 944 955		
IATA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note
	3	-	III	309	60 L	310	220 L	A3 A148
	3	-	III	Y309	10 L	-	-	-

15 - REGULATORY INFORMATION

This preparation was classified in compliance with the directive known as <All preparations> 1999/45/EC and its adaptations In addition directive 2004/73/EC with the 29° adaptation of directive 67/548/EEC (Hazardous substances) have been taken into account. This preparation is not classed as hazardous to health by directive 1999/45/EC.

Preparation classification:

Flammable.

Particular hazards associated with the preparation and safety recommendations:

R 10 Flammable.

16 - OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The product must not be used for any purposes other than those specified under heading 1 without first obtaining written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information given on this safety data sheet must be regarded as a description of the safety requirements relating to our product and not a guarantee of its properties

Full text of risk phrases appearing in section 3:

R 11 Highly flammable. R 36 Irritating to eyes.

R 67 Vapours may cause drowsiness and dizziness.