

SAFETY DATA SHEET

in accordance with REACH (1907/2006/EC, as amended by 2015/830/EU) 29 CFR 1910.1200 and WHMIS 2015

Revision date: 22 February 2019 Initial date of issue: 5 July 2007 SDS No. 339B-12

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

610 HT Synthetic Lubricating Fluid (Bulk)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Lubrication of equipment including chains. For the lubrication of equipment operating at temperatures to 250°C (482°F). Use over 225°C requires adequate ventilation and absence of open ignition sources.

1.3. Details of the supplier of the safety data sheet

Company: Supplier:

A.W. CHESTERTON COMPANY 860 Salem Street Groveland, MA 01834-1507, USA

Tel. +1 978-469-6446 Fax: +1 978-469-6785

(Mon. - Fri. 8:30 - 5:00 PM EST) SDS requests: www.chesterton.com

E-mail (SDS questions): ProductMSDSs@chesterton.com

E-mail: customer.service@chesterton.com

Canada: A.W. Chesterton Company Ltd., 889 Fraser Drive, Unit 105, Burlington, Ontario L7L 4X8 – Tel. 905-335-5055 EU: Chesterton International GmbH, Am Lenzenfleck 23, D85737 Ismaning, Germany – Tel. +49-89-996-5460

1.4. Emergency telephone number

24 hours per day, 7 days per week Call Infotrac: 1-800-535-5053

Outside N. America: +1 352-323-3500 (collect) NSW Poisons Information Centre (Australia): 13 11 26

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

2.1.1. Classification according to Regulation (EC) No 1272/2008 [CLP] / 29 CFR 1910.1200 / WHMIS 2015 / GHS

This product does not meet the criteria for classification in any hazard class according to Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, 29 CFR 1910.1200, WHMIS 2015 and GHS. However, a safety data sheet is being supplied for it on request as it contains at least one substance posing human health or environmental hazards.

2.1.2. Australian statement of hazardous nature

Not classified as hazardous according to criteria of Safe Work Australia.

2.1.3. Additional information

None

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP] / 29 CFR 1910.1200 / WHMIS 2015 / GHS

Hazard pictograms:NoneSignal word:NoneHazard statements:NonePrecautionary statements:None

Supplemental information: EUH210 Safety data sheet available on request.

Date: 22 February 2019 SDS No. 339B-12

2.3. Other hazards

None

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

% Wt.	CAS No./ EC No.	REACH Reg. No.	CLP/GHS Classification
9-16	64742-65-0/ 265-169-7 64742-56-9/ 265-159-2	NA	Asp. Tox. 1, H304
75-85	67762-52-1 267-021-7	NA	Not classified
	9-16	9-16 64742-65-0/ 265-169-7 64742-56-9/ 265-159-2 75-85 67762-52-1	9-16 64742-65-0/ NA 265-169-7 64742-56-9/ 265-159-2 NA

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation: Remove to fresh air. If not breathing, administer artificial respiration. Contact physician.

Skin contact: Wash skin with soap and water. Remove contaminated clothing. Consult physician if irritation develops.

Eye contact: Flush eyes for at least 15 minutes with large amounts of water. Contact physician if irritation persists.

Ingestion: Do not induce vomiting. If person is conscious, rinse mouth with water. Contact physician immediately.

Protection of first-aiders: No special precautions.

4.2. Most important symptoms and effects, both acute and delayed

Direct contact may cause eye irritation. Prolonged or repeated skin contact may cause mild skin irritation. Mists may cause irritation of the respiratory tract.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media: Carbon dioxide, dry chemical, water fog or water spray

Unsuitable extinguishing media: High volume water jet5.2. Special hazards arising from the substance or mixture

Container may rupture from gas generation when exposed to intense heat. Hazardous combustion products may include: Carbon Monoxide, oxides of Nitrogen and Phosphorus.

5.3. Advice for firefighters

Cool exposed containers with water. Recommend Firefighters wear self-contained breathing apparatus.

Flammability Classification: -

HAZCHEM Emergency Action Code: 2 Z

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Utilize exposure controls and personal protection as specified in Section 8.

6.2. Environmental Precautions

Keep out of sewers, streams and waterways.

^{*}Contains less than 3 % DMSO extract as measured by IP 346.

¹ Classified according to: • 29 CFR 1910.1200, 1915, 1916, 1917, Mass. Right-to-Know Law (ch. 40, M.G.L..O. 111F)

^{• 1272/2008/}EC, GHS, REACH

[•] WHMIS 2015

Safe Work Australia

Date: 22 February 2019 **SDS No.** 339B-12

6.3. Methods and material for containment and cleaning up

Contain spill to a small area. Surface may be slippery. Pick up with absorbent material (sand, sawdust, clay, etc.) and place in a suitable container for disposal.

6.4. Reference to other sections

Refer to section 13 for disposal advice.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Utilize exposure controls and personal protection as specified in Section 8. As with any product involved with moving equipment, care is recommended. If in doubt, stop equipment prior to application.

7.2. Conditions for safe storage, including any incompatibilities

Store in a cool, dry and well-ventilated area.

7.3. Specific end use(s)

Use over 225°C requires adequate ventilation and absence of open ignition sources.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limit values

Ingredients	OSHA PEL ¹		ACGIH TLV ²		UK WEL ³		AUSTRALIA ES4	
	ppm	mg/m ³	ppm	mg/m³	ppm	mg/m³	ppm	mg/m³
Baseoil – unspecified	(mist)	5	(mist)	5	_	_	(mist)	5
Polyol ester	_	_	_	_	_	_	_	_
. c., c. cc.c.								

Biological limit values

Not available

Derived No Effect Level (DNEL) according to Regulation (EC) No 1907/2006:

Workers

Not available

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No 1907/2006:

Not available

8.2. Exposure controls

8.2.1. Engineering measures

No special requirements. If using under extreme heat or creating mist, use local exhaust.

8.2.2. Individual protection measures

Respiratory protection: Not normally needed. If exposure limits are exceeded, use approved organic vapor/oil mist respirator.

Protective gloves: Chemical resistant gloves (e.g. neoprene, nitrile).

Eye and face protection: Safety glasses

Other: Long sleeves, long pants and good personal hygiene to minimize skin contact.

8.2.3. Environmental exposure controls

Refer to sections 6 and 12.

¹ United States Occupational Health & Safety Administration permissible exposure limits

² American Conference of Governmental Industrial Hygienists threshold limit values

³ EH40 Workplace exposure limits, Health & Safety Executive

⁴ Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003]

Date: 22 February 2019 SDS No. 339B-12

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state liquid Odour mild

clear, yellow to amber no data available Colour Odour threshold Initial boiling point not determined Vapour pressure @ 20°C not determined **Melting point** not determined % Aromatics by weight not determined % Volatile (by volume) none Hq not applicable

Flash point225°C (437°F)Relative density0.96 kg/lMethodCleveland Open CupWeight per volume8.01 lbs/galViscosity478 cSt @ 40°CCoefficient (water/oil)< 1</th>

Autoignition temperature not determined vapour density (air=1) > 1

Decomposition temperature not determined Rate of evaporation (ether=1) < 1

Upper/lower flammability not determined Solubility in water not determined or explosive limits

Flammability (solid, gas) not applicable Oxidising properties not applicable Explosive properties not applicable

9.2. Other information

None

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

None known

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under conditions of normal use.

10.4. Conditions to avoid

Extreme heat above 250°C (482°F).

10.5. Incompatible materials

Strong acids and strong oxidizers like liquid Chlorine and concentrated Oxygen.

10.6. Hazardous decomposition products

No additional hazardous decomposition products were identified other than the combustion products identified in Section 5 of this SDS.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Primary route of exposure Skin and eye contact. **under normal use:**

Acute toxicity -

Oral: ATE-mix > 2000 mg/kg. Based on test data from similar products, review of component data, or a

combination of these sources.

Dermal: ATE-mix > 2000 mg/kg. Based on test data from similar products, review of component data, or a

combination of these sources.

Inhalation: No information available

Skin corrosion/irritation: Not expected to result in significant irritation.

Serious eye damage/ Direct contact may cause mild eye irritation. Based on test data from similar products, review of

irritation: component data, or a combination of these sources.

Respiratory or skin No known effects.

sensitisation:

Germ cell mutagenicity: Baseoil: expected to be non-mutagenic based on data from similar materials.

Date: 22 February 2019 **SDS No.** 339B-12

Carcinogenicity: This product contains no carcinogens as listed by the National Toxicology Program (NTP), the

International Agency for Research on Cancer (IARC), the Occupational Safety and Health

Administration (OSHA) or the European Chemicals Agency (ECHA).

Reproductive toxicity: Baseoil: based on available data, the classification criteria are not met.

STOT – single exposure: Baseoil: not expected to cause toxicity.

STOT - repeated exposure: Baseoil: based on available data, repeated exposures are not anticipated to cause significant

adverse effects.

Aspiration hazard: Based on available data, the classification criteria are not met.

Other information: None known

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicological data have not been determined specifically for this product. The information given below is based on a knowledge of the components and the ecotoxicology of similar substances.

12.1. Toxicity

Not expected to be harmful to aquatic organisms.

12.2. Persistence and degradability

Oil products, improperly released to the environment, can cause ground and water pollution. Polyol ester, Baseoil: not readily biodegradable.

12.3. Bioaccumulative potential

Polyol ester, Baseoil: bioconcentration in aquatic organisms is not expected to be significant.

12.4. Mobility in soil

Liquid. Insoluble in water. In determining environmental mobility, consider the product's physical and chemical properties (see Section 9).

12.5. Results of PBT and vPvB assessment

Not available

12.6. Other adverse effects

None known

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Incinerate absorbed material with a properly licensed facility. Check local, state and national/federal regulations and comply with the most stringent requirement. Unused product is not classified as a hazardous waste according to 2008/98/EC.

SECTION 14: TRANSPORT INFORMATION

14.1. UN number

ADG/ADR/RID/ADN/IMDG/ICAO: NOT APPLICABLE NOT APPLICABLE US DOT: NOT APPLICABLE

14.2. UN proper shipping name

ADG/ADR/RID/ADN/IMDG/ICAO: NON-HAZARDOUS, NON REGULATED NON-HAZARDOUS, NON REGULATED NON-HAZARDOUS, NON REGULATED NON-HAZARDOUS, NON REGULATED

14.3. Transport hazard class(es)

ADG/ADR/RID/ADN/IMDG/ICAO: NOT APPLICABLE TDG: NOT APPLICABLE US DOT: NOT APPLICABLE

14.4. Packing group

ADG/ADR/RID/ADN/IMDG/ICAO: NOT APPLICABLE TDG: NOT APPLICABLE US DOT: NOT APPLICABLE

14.5. Environmental hazards

NOT APPLICABLE

14.6. Special precautions for user

NOT APPLICABLE

Date: 22 February 2019 **SDS No.** 339B-12

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

NOT APPLICABLE

14.8. Other information

NOT APPLICABLE

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU regulations

Authorisations under Title VII: Not applicable

Restrictions under Title VIII: None
Other EU regulations: None
15.1.2. National regulations

US EPA SARA TITLE III

312 Hazards: 313 Chemicals:

None None

Other national regulations: None 15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: OTHER INFORMATION

Abbreviations ADG: Australian Dangerous Goods Code

and acronyms: ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE: Acute Toxicity Estimate BCF: Bioconcentration Factor

cATpE: Converted Acute Toxicity point Estimate

CLP: Classification Labelling Packaging Regulation (1272/2008/EC)

ES: Exposure Standard

GHS: Globally Harmonized System

ICAO: International Civil Aviation Organization IMDG: International Maritime Dangerous Goods LC50: Lethal Concentration to 50 % of a test population

LD50: Lethal Dose to 50% of a test population

LOEL: Lowest Observed Effect Level

N/A: Not Applicable NA: Not Available

NOEC: No Observed Effect Concentration

NOEL: No Observed Effect Level

OECD: Organization for Economic Co-operation and Development

PBT: Persistent, Bioaccumulative and Toxic substance (Q)SAR: Quantitative Structure-Activity Relationship

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (1907/2006/EC)

REL: Recommended Exposure Limit

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail

SDS: Safety Data Sheet

STEL: Short Term Exposure Limit

STOT RE: Specific Target Organ Toxicity, Repeated Exposure STOT SE: Specific Target Organ Toxicity, Single Exposure

TDG: Transportation of Dangerous Goods (Canada)

TWA: Time Weighted Average

US DOT: United States Department of Transportation vPvB: very Persistent and very Bioaccumulative substance

WEL: Workplace Exposure Limit

WHMIS: Workplace Hazardous Materials Information System

Other abbreviations and acronyms can be looked up at www.wikipedia.org.

Date: 22 February 2019 **SDS No.** 339B-12

Key literature references Commission des normes, de l'équité, de la santé et de la sécurité du travail (CNESST)

and sources for data: Chemical Classification and Information Database (CCID)

European Chemicals Agency (ECHA) - Information on Chemicals

Hazardous Chemical Information System (HCIS) National Institute of Technology and Evaluation (NITE)

Swedish Chemicals Agency (KEMI)

U.S. National Library of Medicine Toxicology Data Network (TOXNET)

Procedure used to derive the classification for mixtures according to Regulation (EC) No 1272/2008 [CLP] / GHS:

 Classification
 Classification procedure

 Not applicable
 Not applicable

Relevant H-statements: H304: May be fatal if swallowed and enters airways.

Hazard pictogram names: Not applicable

Further information: None

Date of last revision: 22 February 2019

Changes to the SDS in this revision: Sections 2.1.1, 2.2, 3, 4.1, 4.2, 8.1, 8.2.2, 12.2, 12.3, 16.

This information is based solely on data provided by suppliers of the materials used, not on the mixture itself. No warranty is expressed or implied regarding the suitability of the product for the user's particular purpose. The user must make their own determination as to suitability.